

Recente cijfers en grafieken over covid-19

Bekijk de dagelijkse evolutie in real time

Dr. Harrie Dewitte 31/01/2022

Wat krijg je te zien? & *Hoe gebruiken?*


1. Aantal besmettingen per miljoen inwoners
2. Aantal hospitalisaties per miljoen inwoners
3. Aantal overlijdens per miljoen inwoners
4. Fatality Rate = aantal overlijdens door covid-19
5. Beperkende maatregelen per land

Hoe gebruiken?


- Vergelijkingen tussen België, Denemarken, Frankrijk en UK.
- Ctrl+klik op **de blauwe link klikt**: interactieve grafiek.
- Evolutie in tijd met zeer recente cijfers.
- Je kan zelf andere grafieken samenstellen.

Biweekly confirmed COVID-19 cases per million people

Biweekly confirmed cases refers to the cumulative number of cases over the previous two weeks.




Number of COVID-19 patients in hospital per million




Biweekly confirmed COVID-19 deaths per million people

Biweekly confirmed deaths refer to the cumulative number of confirmed deaths over the previous two weeks.



Case fatality rate of COVID-19

The case fatality rate (CFR) is the ratio between confirmed deaths and confirmed cases. The CFR can be a poor measure of the mortality risk of the disease. We explain this in detail at OurWorldInData.org/mortality-risk-covid



COVID-19 Stringency Index

The stringency index is a composite measure based on nine response indicators including school closures, workplace closures, and travel bans, rescaled to a value from 0 to 100 (100 = strictest). If policies vary at the subnational level, the index shows the response level of the strictest subregion.

